	Application No.	Applicant(s)
Notice of Allowability	10/707,949	LIN, YU-CHIEH
	Examiner	Art Unit
	Carramah J. Quiett	2622
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to <u>materizate</u> . 10/26/07		
2. The allowed claim(s) is/are 1-3,8,12-16,18,20,23,24,27 and 28, 29		
 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a)		
3. Copies of the certified copies of the priority documents have been received in this national stage application from the		
International Bureau (PCT Rule 17.2(a)).		
* Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.		
4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) 🔲 including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ⊠ Notice of References Cited (PTO-892)	5. Notice of Informal F	Patent Application
 Notice of References offed (1.10 002) Draftperson's Patent Drawing Review (PTO-948) 	6. ⊠ Interview Summary	(PTO-413),
3. Information Disclosure Statements (PTO/SB/08),	Paper No./Mail Da 7. ⊠ Examiner's Amendr	
Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit	8. Examiner's Statement	ent of Reasons for Allowance
of Biological Material	9. 🔲 Other	

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with *Eric L. Maschoff* on December 19, 2007.

The application has been amended as follows:

Claims 4-6 – CANCELED

Claims 9-11 – CANCELED

Claim 19 - CANCELED

2. The following is an examiner's statement of reasons for allowance:

Claim 1 is allowed because the prior art does not teach or fairly suggest a digital image capturing apparatus comprising: a strobe installed on the pedestal capable of turning with the pedestal to allow the strobe to be aimed substantially parallel with the first central axis in either direction for providing a light source for the digital image capturing apparatus, *in combination* with the other claimed elements.

Claims 2-3, 8, 12-13, and 29 are allowed because they depend on claim 1.

Claim 14 is allowed because the prior art does not teach or fairly suggest a digital image capturing apparatus comprising: a strobe installed on the pedestal and turnable wherein the pedestal is capable of allowing the strobe to be aimed substantially parallel with the lens for

providing a light source to the digital image capturing apparatus, in combination with the other claimed elements.

Claims 15-16, 18, 20, 23-24, and 27 are allowed because they depend on claim 14.

Claim 28 is allowed because the prior art does not teach or fairly suggest a digital image capturing apparatus comprising: a strobe installed on the pedestal and capable of turning with the pedestal to allow the strobe to be aimed substantially parallel with the first central axis in either direction for providing a light source for the digital image capturing apparatus, in combination with the other claimed elements.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's 3. disclosure:

Terada (U.S. Pat. # 6,278,845) Camera incorporating a flash light illuminating device.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Carramah J. Quiett whose telephone number is (571) 272-7316. The examiner can normally be reached on 8:00-5:00 M-F.

Application/Control Number:

10/707,949

Art Unit: 2622

If attempts to reach the examiner by telephone are unsuccessful, the examiner's

supervisor, NgocYen Vu can be reached on (571) 272-7320. The fax phone number for the

organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent

Application Information Retrieval (PAIR) system. Status information for published applications

may be obtained from either Private PAIR or Public PAIR. Status information for unpublished

applications is available through Private PAIR only. For more information about the PAIR

system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR

system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would

like assistance from a USPTO Customer Service Representative or access to the automated

information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

CJQ

December 20, 2007

SUPERVISORY PATENT EXAMINER

Page 4